9 MMTPA refinery project and 2 MMTPA lube refinery by M/s. Ashok Ley land near Paradip.

Supply of cooking gas through pipelines

983. SHRI VEDPRAKASH P. GOYAL: Will the Minister of PETROLEUM AND NATURAL GAS be pleased to state:

(a) whether Government have any scheme to supply cooking gas to consumers through pipelines in four metropolitan and other major cities in the country;

(b) if so, the details thereof; and

(c) if not, the reasons therefor and whether now it would be taken up?

THE MINISTER OF STATE IN THE MINISTRY OF PETROLEUM AND NATURAL GAS (SHRI SANTOSH KUMAR GANGWAR): (a) gas Authority of India Ltd. (GAIL) has schemes for supplying natural gas through pipelines for cooking purposes in Mumbai and Delhi.

(b) and (c) GAIL has formed a joint venture company with M/s British Gas to distribute natural gas to the domestic, commercial and industrial sector in Mumbai. In respect of Delhi, GAIL has implemented a pilot project for providing connections to 1200 houses in selected areas of Delhi. Supply of natural gas for cooking purposes has not been planned for the other metropolitan and major cities for want of availability of natural gas in these areas.

रसोई गैस कनेक्शन जारी किया जाना

984.**श्री राघवजी**: क्या पेट्रोलियम और प्राकृतिक गैस मंत्री यह बताने की कृपा करेंगे कि:

(क) वर्ष 1997-98 के दौरान राज्य-वार रसोई गैस के कितने नये कनैक्शन जारी किये गये हैं तथा कितने गैस कनैक्शनों के मामले में डी.बी.सी.प्रदान की गई है

(ख) 31 मार्च,1998 की स्थिति के अनुसार राज्य-वार कितने-कितने आवेदक प्रतीक्षा सूची में हैं;

(ग) प्रत्येक राज्य में ऐसे आवेदकों की संख्या कितनी है जिन्होंने गैस कनैक्शन के लिये 1 अप्रैल,1993 से पूर्व आवेदन किया था लेकिन जिनको अभी तक यह सुविधा प्रदान नहीं की गई है; और

(घ) इन मामलों के शीघ्र निपटान के लिये सरकार क्या कदम उठा रही हैं?

पेट्रोलियम और प्राकृतिक गैस मंत्रालय में राज्य मंत्री(श्री संतोष कुमार गंगवार): (क) से(ग) ब्यौरा संलग्न विवरण में दिया गया है ।(**नीचे देखिए**) ।

(घ) आवेदकों को यथाशीघ्र एल पी जी कनैक्शन जारी करने के प्रयास जारी हैं । मौजूदा उत्पादन स्रोतों की क्षमता बढ़ाकर,नए संयंत्र स्थापित करके और वर्तमान एंव नई सुविधाओं के माध्यम से अधिकाधिक आयात करके एल पी जी के अधिकाधिक उपलब्धता की योजनाएं तैयार की गई हैं । डिस्ट्रीब्यूटरों द्वारा नए कनैक्शन प्रतीक्षासूचीबद्व आवेदकों की वरिष्ठता के आधार पर जारी किए जाते हैं ।

विवरण

राज्य/केन्द्र शासित प्रदेश	पंजीकरण 1997-87 (लाख में)	डी बी सी 1997-98 (लाख में)	1.4.98 को प्रतीक्षा सूची(लाख में)	1.4.93 से पहले की प्रतीक्षा सूची
आन्ध्र प्रदेश	2.72	2.98	10.99	219665
अंडमान और निकोबार	0.01	0.01	0.13	5718
असम	0.6	0.57	2.08	7553
अरूणाचल प्रदेश	0.13	0.07	0.11	0
बिहार	0.71	1.02	4.89	66832
चंडीगढ़	0.17	0.17	079	23448

राज्य/केन्द्र शासित प्रदेश	पंजीकरण 1997-98(लाख में)	डी बी सी 1997-98 (लाख में)	1.4.98 को प्रतीक्षा सूची (लाख में)	1.4.93 से पहले की प्रतीक्षा सूची
दादरा और नगर नगर हवेली	0.00	0.01	0.02	493
दमन और दीव	0.03	0.01	0.05	1320
गोवा	0.27	0.47	0.77	11806
गुजरात	3.44	2.1	6.84	109076
हरियाणा	1.14	1.16	4.30	124461
जम्मू और कश्मीर	1.17	0.43	0.76	18989
कर्नाटक	1.79	1.52	6.49	147320
केरल	1.6	2.02	7.15	109858
लक्षद्वीप	0.0	0.0	0.00	0
मध्य प्रदेश	2.22	1.73	5.87	110104
महाराष्ट्र	5.76	5.11	13.82	174606
मणिपुर	0.15	0.11	0.00	0
मेद्यालय	0.09	0.08	0.02	0
मिजोरम	0.13	0.06	0.00	0
नागालैंड	0.08	0.06	0.03	0
राष्ट्रीय राजधानी क्षेत्र दिल्ली	2.11	2.05	7.11	76200
उड़ीसा	0.36	0.37	2.09	35923
पांडिचेरी	0.1	0.09	0.43	11206
पंजाब	1.67	1.79	6.57	145831
राजस्थान	2.43	2.14	7.57	198899
सिक्किम	0.07	0.01	0.00	0
तमिलनाडु	3.06	2.78	14.05	338101
त्रिपुरा	0.13	0.08	0.32	9802
उत्तर प्रदेश	5.04	5.23	13.61	223777
पश्चिम बंगाल	2.99	2.43	10.19	262676

Shifting of Vasco Da Gama IOC Depot

985. SHRI JOHN F. FERNANDES: Will the Minister of PETROLEUM AND NATURAL GAS be pleased to state:

(a) whether Government are aware that the Indian Oil Corporation depot at Vasco da Gama, Goa is the only depot in the country which has been situated in the city area which is densely populated;

(b) if so, whether Government are also aware of high risk perception in case of any accident;

(c) whether Government have given a thought to shift this storage facility away from this conjested area alongwith proposed shifting of additional capacity; and

(d) what will be the total estimated cost of the total shifting to another suitable site?